

# AUTHOR INDEX TO VOLUME 43

Anselmi-Tamburini, U., see G. Flor	43 (1990) 77
Baiker, A., see M. Maciejewski	43 (1990) 203
Baranov, N.A., V.B. Okhotnikov, L.I. Rynskaya, A.R. Semenov, A.K. Galwey and G.M. Laverty, Preparations, physical properties and reactivities of the lithium potassium salts of tartaric acid (anhydrous and hydrated)	43 (1990) 37
Baumgartner, M., see E. Dubler	43 (1990) 193
Bayer, G., see H.-G. Wiedemann	43 (1990) 53
Bensch, W., H. Schmalte and A. Reller, Structure and thermochemical reactivity of $\text{CaRuO}_3$ and $\text{SrRuO}_3$	43 (1990) 171
Bloom, K. and H. Müller-Buschbaum, Synthesis and structure of $\text{Ni}_{5.33}\text{Ta}_{0.67}\text{B}_2\text{O}_{10}$ and $\text{Ni}_{5.33}\text{Nb}_{0.67}\text{B}_2\text{O}_{10}$	43 (1990) 1
Boldyrev, V.V., see T.P. Shakhshneider	43 (1990) 179
Boller, A., see H.-G. Wiedemann	43 (1990) 53
Cocke, D.L., T.R. Hess, T. Mebrahtu, D.E. Mencer Jr. and D.G. Naugle, The surface reactivity of Ti-Cu and Ti-Al alloys and the ion chemistry of their oxide overlayers	43 (1990) 119
Conder, K., see L. Wang	43 (1990) 103
Coucou, A., see M. Figlarz	43 (1990) 143
Delahaye-Vidal, A., see M. Figlarz	43 (1990) 143
Dubler, E., see J.R. Günter	43 (1990) 85
Dubler, E. and M. Baumgartner, Thermogravimetric/mass-spectrometric studies and crystal data of copper(I) thiolate complexes	43 (1990) 193
Dumont, B., see M. Figlarz	43 (1990) 143
Fievet, F., see M. Figlarz	43 (1990) 143
Figlarz, M., B. Gérard, A. Delahaye-Vidal, B. Dumont, F. Harb, A. Coucou and F. Fievet, Topotaxy, nucleation and growth	43 (1990) 143
Fischer, P. and M. Jansen, Cyclovoltammetrische- und Röntgenbeugungsuntersuchungen zur anodischen Abscheidung höherer Silberoxide	43 (1990) 61
Flor, G., M. Scavini, U. Anselmi-Tamburini and G. Spinolo, Kinetics and mechanisms of the formation of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$	43 (1990) 77
Galwey, A.K., see N.A. Baranov	43 (1990) 37
Gérard, B., see M. Figlarz	43 (1990) 143
Grenier, J.C., see P. Hagenmüller	43 (1990) 7
Gruehn, R., see J. Martin	43 (1990) 19
Grüne, M., see P. Zum Hebel	43 (1990) 133

- Günter, J.R., H.W. Schmalke and E. Dubler, Crystal structure and properties of a new magnesium heteropoly-tungstate,  $\text{Mg}_7(\text{MgW}_{12}\text{O}_{42})(\text{OH})_4(\text{H}_2\text{O})_8$ , and the isostructural compounds of manganese, iron, cobalt and nickel 43 (1990) 85
- Hagenmuller, P., M. Pouchard and J.C. Grenier, Nonstoichiometry in the perovskite-type oxides: An evolution from the classical Schottky-Wagner model to the recent high  $T_c$  superconductors 43 (1990) 7
- Harb, F., see M. Figlarz 43 (1990) 143
- Hess, T.R., see D.L. Cocke 43 (1990) 119
- Hoppe, R. and H.-P. Müller, A new cesium-aluminate:  $\text{Cs}_6[\text{Al}_2\text{O}_6]$  43 (1990) 23
- Jansen, M., see P. Fischer 43 (1990) 61
- Kaldis, E., see L. Wang 43 (1990) 103
- Keller, E.B., W.M. Meier and R.M. Kirchner, Synthesis, structures of  $\text{AlPO}_4\text{-C}$  and  $\text{AlPO}_4\text{-D}$ , and their topotactic transformation 43 (1990) 93
- Kirchner, R.M., see E.B. Keller 43 (1990) 93
- Krebs, B., see P. Zum Hebel 43 (1990) 133
- Kutsche, G. and H. Schmalzried, Relaxation of point defects during interdiffusion of oxides in solid solution 43 (1990) 43
- Laverty, G.M., see N.A. Baranov 43 (1990) 37
- Loose, G., see R. Schlögl 43 (1990) 183
- Maciejewski, M., A. Baiker and A. Reller, Chemical and structural transformations in the system  $\text{Mo}/\text{MoO}_x$  in reducing and oxidizing atmospheres 43 (1990) 203
- Maier, J., see P. Murugaraj 43 (1990) 113
- Martin, J. and R. Gruehn, Synthesis of transition metal phosphides from their oxides using the chemical transport (CVT) method 43 (1990) 19
- Mebrahtu, T., see D.L. Cocke 43 (1990) 119
- Meier, W.M., see E.B. Keller 43 (1990) 93
- Mencer Jr., D.E., see D.L. Cocke 43 (1990) 119
- Müller, H.-P., see R. Hoppe 43 (1990) 23
- Müller-Buschbaum, H., see K. Bluhm 43 (1990) 1
- Müller-Warmuth, W., see P. Zum Hebel 43 (1990) 133
- Murugaraj, P., J. Maier and A. Rabenau, Use of potassium salts in the crystal growth of  $\text{RBa}_2\text{Cu}_3\text{O}_x$  superconductors ( $\text{R}=\text{Y}$  or lanthanides) 43 (1990) 113
- Naugle, D.G., see D.L. Cocke 43 (1990) 119
- Niepcz, J.C. and G. Thomas, About the mechanism of the solid-way synthesis of barium metatitanate. Industrial consequences 43 (1990) 69
- Okhotnikov, V.B., see N.A. Baranov 43 (1990) 37
- Pouchard, M., see P. Hagenmuller 43 (1990) 7
- Rabenau, A., see P. Murugaraj 43 (1990) 113

- Reller, A., see W. Bensch 43 (1990) 171  
Reller, A., see M. Maciejewski 43 (1990) 203  
Rynskaya, L.I., see N.A. Baranov 43 (1990) 37
- Scavini, M., see G. Flor 43 (1990) 77  
Schlögl, R., G. Loose and M. Wesemann, On the mechanism of the oxidation of graphite  
by molecular oxygen 43 (1990) 183  
Schmalle, H.W., see W. Bensch 43 (1990) 171  
Schmalle, H.W., see J.R. Günter 43 (1990) 85  
Schmalzried, H., see G. Kutsche 43 (1990) 43  
Semenov, A.R., see N.A. Baranov 43 (1990) 37  
Shakhtshneider, T.P. and V.V. Boldyrev, Topochemistry of solid-state transformations of  
coordination compounds 43 (1990) 179  
Spinolo, G., see G. Flor 43 (1990) 77
- Taylor, H.F.W., Reactions and reactivities of compounds in hydraulic cements 43 (1990) 31  
Thomas, G., see J.C. Niepce 43 (1990) 69
- Wang, L., K. Conder and E. Kaldis, Thermodynamic studies in the system  $\text{SmH}_2\text{--SmH}_3$  43 (1990) 103  
Wesemann, M., see R. Schlögl 43 (1990) 183  
Wiedemann, H.-G., A. Boller and G. Bayer, Thermogravimetric studies of the reactions  
between dolomite and sulfur dioxide 43 (1990) 53
- Zum Hebel, P., B. Krebs, M. Grüne and W. Müller-Warmuth, Preparation, crystal structure and  $^7\text{Li}$  NMR of  $\text{Li}_{6+2x}[\text{B}_{10}\text{S}_{18}]\text{S}_x (x \approx 2)$  43 (1990) 133



## SUBJECT INDEX TO VOLUME 43

### Alloys

- titanium-aluminium, 113
  - titanium-copper, 113
- Aluminate
- cesium, 23
- Aluminium phosphate
- crystal structure, 93
  - topotactic transformation, 93
- Aluminium titanium alloys, 119

### Barium metatitanate

- mechanism of synthesis, 69
  - solid way synthesis, 69
- Barium metatitanate synthesis
- industrial consequences, 69
- Barium yttrium copper oxide, 77
- Barium yttrium cuprate, 113
- Borate
- nickel niobium, 1
  - nickel tantalum, 1

### Calcium ruthenium oxide

- crystal structure, 171
- Cements
- hydraulic, 31
- Cesium aluminate
- crystal structure, 23
- Chemical vapour transport, 19
- Coordination compounds
- solid state transformations, 179
- Copper(I)thiolate complexes
- copper, 193
- Copper oxide
- barium yttrium, 77
- Copper titanium alloys, 119
- Cuprate
- barium yttrium, 113
- Cyclovoltammetry, 61

### Dolomite

- reaction with sulfur dioxide, 53

### Graphite oxidation

- mechanism, 183
- Growth, 143

### Heteropolytungstates

- cobalt, 85
- crystal structure, 85

### iron, 85

- magnesium, 85
  - manganese, 85
  - nickel, 85
- Hydraulic cements, 31
- Hydrides
- samarium, 103

### Interdiffusion in oxides, 43

### Lithium potassium tartrate

- thermal decomposition, 37
- Lithium thioborate sulfide
- crystal structure, 133

### Mechanism of formation

- yttrium barium copper oxide, 77

### Mechanism of synthesis

- barium metatitanate, 69

### Molybdenum

- oxidation, 203
- Molybdenum/molybdenum oxides system
- structural transformations, 203
- Molybdenum oxides
- reduction, 203

### Nickel cobalt oxides, 43

- Nickel niobium borate
- crystal structure, 1
- Nickel tantalum borate
- crystal structure, 1
- Niobium
- nickel borate, 1
- Nonstoichiometry, 7
- Nucleation, 143

### Oxidation

- graphite, 183
  - molybdenum, 203
- Oxide overlayers on
- titanium-aluminium, 113
  - titanium-copper, 113

### Perovskite oxides, 7

- Phosphate
- aluminium, 93

- Phosphides  
  transition metal, 19
- Point defects  
  relaxation, 43
- Point defects in oxides, 43
- Potassium lithium tartrate, 37
- Samarium hydrides, 103
- Schottky-Wagner model, 7
- Silver oxides, 61
- Solid state transformations, 179
- Strontium ruthenium oxide  
  crystal structure, 171
- Sulfur dioxide  
  reaction with dolomite, 53
- Superconductors  
  high  $T_c$ , 7
- yttrium barium copper oxide, 77
- Tantalum  
  nickel borate, 1
- Tartrates  
  lithium potassium, 37
- Thermochemistry  
  calcium ruthenium oxide, 171
- strontium ruthenium oxide, 171
- Thermodynamics  
  samarium hydroxides, 103
- Thermogravimetry  
  dolomite and sulfur dioxide, 53
- Thermogravimetry-mass spectrometry  
  copper(I)thiolates, 193
- Thioborate  
  lithium sulfide, 133
- Titanium aluminium alloys  
  surface chemistry, 119
- Titanium copper alloys  
  surface chemistry, 119
- Topochemistry, 179
- Topotaxy, 143
- Transition metal phosphides, 19
- Tungstates  
  cobalt, 85
- iron, 85
- magnesium, 85
- manganese, 85
- nickel, 85
- Yttrium barium copper oxide  
  kinetics and mechanism of formation, 77
- Yttrium barium cuprate, 113  
  crystal growth, 113

# COMPOUND INDEX TO VOLUME 43

Ag<sub>2</sub>O<sub>3</sub>, 61  
Ag<sub>3</sub>O<sub>4</sub>, 61  
Ag<sub>7</sub>O<sub>8</sub>ClO<sub>4</sub>, 61  
Ag<sub>7</sub>O<sub>8</sub>HSO<sub>4</sub>, 61  
Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub>, 61  
AgO, 61  
AlPO<sub>4</sub>, 93

[B<sub>2</sub>Me<sub>3</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTE<sup>2-</sup>)<sub>3</sub>], 193  
Ba<sub>2</sub>TiO<sub>4</sub>, 69  
BaTiO<sub>3</sub>, 69

Ca<sub>12</sub>Al<sub>14</sub>O<sub>33</sub>, 31  
Ca<sub>2</sub>SiO<sub>4</sub>, 31  
Ca<sub>3</sub>Al<sub>2</sub>O<sub>6</sub>, 31  
Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, 31  
Ca<sub>3</sub>Si<sub>2</sub>O<sub>7</sub>, 31  
Ca<sub>3</sub>SiO<sub>5</sub>, 31  
CaAl<sub>2</sub>O<sub>4</sub>, 31  
CaMg(CO<sub>3</sub>)<sub>2</sub>, 53  
CaRuO<sub>3</sub>, 171  
CaSiO<sub>3</sub>, 31  
C(graphite), 183  
Co<sub>7</sub>(CoW<sub>12</sub>O<sub>42</sub>)(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>8</sub>, 85  
Co(C<sub>2</sub>H<sub>5</sub>N)<sub>2</sub>Cl<sub>2</sub>, 179  
CoO, 43  
Cs<sub>6</sub>[Al<sub>2</sub>O<sub>6</sub>], 23

[Et<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTP<sup>2-</sup>)<sub>3</sub>]·MeOH, 193  
[Et<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTE<sup>2-</sup>)<sub>3</sub>], 193

Fe<sub>7</sub>(FeW<sub>12</sub>O<sub>42</sub>)(OH)<sub>12</sub>, 85

HiP, 7

Li<sub>6+2x</sub>[B<sub>10</sub>S<sub>18</sub>]S<sub>2x</sub>, 133  
LiKC<sub>4</sub>H<sub>4</sub>O<sub>6</sub>·2H<sub>2</sub>O, 37  
LiKC<sub>4</sub>H<sub>4</sub>O<sub>6</sub>·2H<sub>2</sub>O, 37  
LnBa<sub>2</sub>Cu<sub>3</sub>O<sub>11</sub>, 113

[Me<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTP<sup>2-</sup>)<sub>3</sub>]·MeOH, 193  
[Me<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(PhS<sup>-</sup>)<sub>3</sub>], 193  
[Me<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>3</sub>(PhS<sup>-</sup>)<sub>7</sub>]·solvents, 193  
[Me<sub>4</sub>N<sup>+</sup>][Cu<sub>3</sub>(<sup>t</sup>BuS<sup>-</sup>)<sub>6</sub>], 193  
Mg<sub>7</sub>(MgW<sub>12</sub>O<sub>42</sub>)(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>8</sub>, 85  
Mn<sub>7</sub>(MnW<sub>12</sub>O<sub>42</sub>)(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>8</sub>, 85  
Mo, 203  
MoO<sub>2</sub>, 203  
MoO<sub>3</sub>, 143, 203  
MoO<sub>3</sub>· $\frac{1}{2}$ H<sub>2</sub>O, 143

MoO<sub>3</sub>, 203  
Mo<sub>2</sub>W<sub>1-x</sub>O<sub>3</sub>, 143  
Mo<sub>2</sub>W<sub>1-x</sub>O<sub>3</sub>· $\frac{1}{2}$ H<sub>2</sub>O, 143

NbP, 7  
Ni<sub>3.33</sub>Nb<sub>0.67</sub>B<sub>2</sub>O<sub>10</sub>, 1  
Ni<sub>3.33</sub>Ta<sub>0.67</sub>B<sub>2</sub>O<sub>10</sub>, 1  
Ni<sub>7</sub>(NiW<sub>12</sub>O<sub>42</sub>)(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>8</sub>, 85  
Ni(C<sub>2</sub>H<sub>5</sub>N)<sub>2</sub>(NCS)<sub>2</sub>, 179  
Ni(C<sub>2</sub>H<sub>5</sub>N)<sub>2</sub>(NO<sub>2</sub>)<sub>2</sub>, 179  
NiO, 43, 143  
Ni(OH)<sub>2</sub>, 143  
NiOOH, 143

[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>7</sub>(DTE<sup>-</sup>)<sub>4</sub>(<sup>t</sup>BuS<sup>-</sup>)], 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>7</sub>(DTE<sup>-</sup>)<sub>4</sub>(EtS<sup>-</sup>)]·2MeOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>][Cu<sub>7</sub>(EtS<sup>-</sup>)<sub>8</sub>], 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(EtS<sup>-</sup>)<sub>6</sub>]·0.5C<sub>2</sub>H<sub>5</sub>O<sub>2</sub>, 193  
[Ph<sub>4</sub>P<sup>+</sup>][Cu<sub>3</sub>(<sup>t</sup>BuS<sup>-</sup>)<sub>6</sub>]·MeOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>][Cu<sub>3</sub>(TP<sup>-</sup>)<sub>6</sub>], 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTP<sup>2-</sup>)<sub>3</sub>], 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTE<sup>2-</sup>)<sub>3</sub>]·2MeOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(DTP<sup>2-</sup>)<sub>3</sub>]·3MeOH, 193  
[Pr<sub>4</sub>N<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(MeS<sup>-</sup>)<sub>6</sub>]·MeOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>3</sub>(MeS<sup>-</sup>)<sub>7</sub>]·MeOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>][Cu<sub>3</sub>(<sup>t</sup>BuS<sup>-</sup>)<sub>6</sub>]·EtOH, 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(PhS<sup>-</sup>)<sub>6</sub>]·aceton, 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(PhS<sup>-</sup>)<sub>6</sub>]·solvents, 193  
[Ph<sub>4</sub>P<sup>+</sup>]<sub>2</sub>[Cu<sub>4</sub>(PhS<sup>-</sup>)<sub>6</sub>], 193

SmH<sub>2</sub>, 103  
SmH<sub>3</sub>, 103  
SrRuO<sub>3</sub>, 171

TaP, 7  
Th<sub>3</sub>P<sub>4</sub>, 7  
Ti<sub>36</sub>Al<sub>64</sub>, 119  
Ti<sub>36</sub>Cu<sub>64</sub>, 119

U<sub>3</sub>P<sub>4</sub>, 7

WO<sub>3</sub>, 143  
WO<sub>3</sub>· $\frac{1}{2}$ H<sub>2</sub>O, 143  
WP, 7

YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>, 77  
YBa<sub>2</sub>Cu<sub>3</sub>O<sub>11</sub>, 113

ZrP, 7